KERN OBN 132



Professionalism and versatility united in one microscope – with Koehler illumination for demanding applications



| Category | |
|-------------------------------|---|
| Brand | Optics |
| Product categoriy | Microscope |
| Product group | Compound microscope |
| Product family | OBN-13 |
| Approval | |
| CE mark | ✓ |
| Construction | |
| Dimension (W×D×H) | 390×200×400 mm |
| Optical system | Infinity |
| Tube type | Siedentopf |
| Tube type | Trinocular |
| Tube angle of inclination | 30° |
| Tube 360° rotation | 1 |
| Lens quality | Infinity Plan |
| Standard objectives | 4× 10× 20× 40× 100× |
| Nosepiece screw-in locations | 5 |
| Diopter adjustment | both-sided |
| Diopter adjustment [Min] | -5 |
| Diopter adjustment [Max] | 5 |
| Contrasting methods | Bright field Darkfield (optional) Polarisation (optional) Fluorescent (optinal) Phase contrast (optional) |
| Light distribution | 100:0 |
| Interpupillary distance [Max] | 75 mm |
| | |

| Interpupillary distance [Min] | 50 mm |
|---|-------------------------------|
| Ocular | |
| Ocular field width | HWF |
| Eye point | High Eye Point |
| Ocular magnifications | 10 x |
| Ocular visual field | 20 mm |
| Ocular diameter | 23,2 mm |
| - · | |
| Focussing | |
| Fine drive minimum | 0,002 mm |
| Torque regulation | \checkmark |
| Field of view [Min] | 0,2 mm |
| Field of view [Max] | 5 mm |
| Focusing mechanism | coaxial coarse and fine drive |
| Illumination | |
| Illumination type incident light | none |
| Illumination intensity transmitted light | 20 W |
| Illumination type transmitted light | Halogen |
| Illuminance | Transmitted light |
| Illumination dimmable | Transmitted light |
| Field diaphragm | ✓ |
| Aperture diaphragm | 1 |
| Koehler illumination | 1 |
| Filter possible | 1 |
| Brand of light bulb | Philips |
| biana or light bails | 1 111100 |
| Power Supply | |
| Input voltage power supply / power [Max] | 100 - 240 V |
| Input voltage device / power [Max] | 100 - 240 V |
| Plug-in power supply type | Built-in power supply |
| Supplied power supply | Power supply unit |
| Plug-in power supply / adapter for countries - included with the delivery | EURO |
| Plug-in power supply / adapter for countries - optional | AUS UK US CH |
| Environmental conditions | |
| Storage temperature [Min] | -5 °C |
| Storage temperature [Max] | 40 °C |
| | |

KERN OBN 132



Professionalism and versatility united in one microscope – with Koehler illumination for demanding applications

| Packing & Shipping | |
|------------------------------|----------------|
| Readability force [d] (N) | 1 d |
| Dimensions packaging (W×D×H) | 570×410×310 mm |
| Net weight | 8,983 kg |
| Shipping method | Parcel service |
| Net weight approx. | 9 kg |
| Gross weight approx. | 11 kg |
| Shipping weight | 14,5 kg |
| 0 11 | U |

| x / 0,25 anti-fungus Objective Infinity Plan | Objective | |
|---|----------------------|---|
| anti-fungus Objectives - DetailsObjective Infinity Plan 20Objectives - Detailsx / 0,4 spring, anti- fungus Objective Infinity Plan 4 | Objectives - Details | Objective Infinity Plan 100 x / 1,25 oil, spring, anti-fungus Objective Infinity Plan 20 x / 0,4 spring, anti- fungus Objective Infinity Plan 4 x / 0,11 anti-fungus Objective Infinity Plan 40 x / 0,66 spring, anti- |

Pictograms

STANDARD



OPTION

